T Manhara	7724-	Goowah Mauh	DD.	Mino atoms
L Number	Hits		DB	Time stamp 2003/12/19 09:33
1	1814	(auxiliary with cable).ab.	USPAT; US-PGPUB;	2003/12/19 09:33
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	2	(auxiliary with ATA).ab.	USPAT;	2003/12/19 09:32
-		, ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	233405	(auxiliary with cable wit standard).ab.	USPAT;	2003/12/19 09:34
			US-PGPUB;	
†			EPO; JPO;	
			DERWENT;	
	10	/ sunilians with solls with standard of	IBM_TDB	2002/12/10 00:41
4	12	(auxiliary with cable with standard).ab.	USPAT; US-PGPUB;	2003/12/19 09:41
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
5	3	(auxiliary with cable same standard same	USPAT;	2003/12/19 09:43
		devices).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_			IBM_TDB	
6	2	, ,	USPAT;	2003/12/19 09:45
		devices)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
7	6	((non near2 standard) with cable same	USPAT;	2003/12/19 09:48
	ĺ	devices)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	125	((non near2 standard) with cable)	USPAT;	2003/12/19 09:48
			US-PGPUB;	
			EPO; JPO;	
	i		DERWENT; IBM TDB	
9	25	((non near2 standard) with cable same	USPAT;	2003/12/19 10:01
-		control\$6)	US-PGPUB;	2003, 12, 13 10.01
			EPO; JPO;	
			DERWENT;	
		the second of th	IBM_TDB	· · · · · · · · · · · · · · · · · · ·
10	345	((non near2 standard) with device\$1	USPAT;	2003/12/19 10:21
).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
11	345	((non near2 standard) with device\$1	USPAT;	2003/12/19 10:01
		same standard).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	1	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/19 10:02
).ab.) & ATA	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
13	19	(((non near2 standard) with device\$1	USPAT;	2003/12/19 10:02
).ab.) & cable	US-PGPUB;	2000, 22, 10.02
1		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	79	((non near2 standard) near2 device\$1).ab.	USPĀT;	2003/12/19 10:22
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

17	4:01
Comparison	
Company	
- 119 (717/118).CCLS. 2003/12/18 1 USPĀT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB;	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DE	
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM	.4:02
- 119 (717/118).CCLS. DERWENT; IBM TDB USPAT; US-PGPUB; EPG; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO	.4:02
TEM TDB	.4:02
119	.4:02
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DE	
Comparison of the content of the c	
10	
10	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO;	
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM	.4:35
- 1 ((717/118).CCLS.) & bytecode with value same hash\$6 1 ((717/118).CCLS.) & bytecode same hash\$6 1 ((717/118).CCLS.) & bytecode same hash\$6 1 ((717/118).CCLS.) & bytecode same hash\$6 2 ((717/118).CCLS.) & bytecode same hash\$6 1 ((717/118).CCLS.) & bytecode same hash\$6 2 ((718/118) & bytecode same h	
1	
1 ((717/118).CCLS.) & bytecode with value same hash\$6	
hash\$6 Comparison of the content	4:05
DERWENT; IBM_TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
TBM_TDB	
1 ((717/118).CCLS.) & bytecode same hash\$6	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	14-0E
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	. - 2:U5
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
- 0 (java with hash with code same value\$1).ab. 1 (java with hash with code ((hashcode with valua same bytecode).ab.)).ab. 1 (java with hash with code).ab. 1 (java with hash with code).ab. 2 (java with hash with code with value\$1) 3 (java with hash with code with value\$1) 4 (java with hash with code with value\$1)	
value\$1).ab. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
- 1 (java with hash with code ((hashcode	L4:35
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
- 1 (java with hash with code ((hashcode with valua same bytecode).ab.)).ab. - 1 (java with hash with code).ab. - 1 (java with hash with code).ab. - 2 (java with hash with code with value\$1) - 2 (java with hash with code with value\$1) - 3 (java with hash with code with value\$1) - 4 (java with hash with code with value\$1) - 5 (java with hash with code with value\$1) - 6 (java with hash with code with value\$1)	
- 1 (java with hash with code ((hashcode with valua same bytecode).ab.)).ab. - 1 (java with hash with code).ab. 1 (java with hash with code).ab. 2 (java with hash with code with value\$1)	
with valua same bytecode).ab.)).ab. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	14:36
EPO; JPO; DERWENT; IBM_TDB 1 (java with hash with code).ab. 2 (java with hash with code with value\$1) 2 (java with hash with code with value\$1) 2 (java with hash with code with value\$1) 2 (java with hash with code with value\$1)	
- 1 (java with hash with code).ab. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; EPO; EPO; EPO; EPO; EPO; EPO; EPO	
- 1 (java with hash with code).ab. USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2 (java with hash with code with value\$1) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	14.26
EPO; JPO; DERWENT; IBM_TDB 2 (java with hash with code with value\$1) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	14:36
DERWENT; IBM_TDB 2 (java with hash with code with value\$1) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
IBM_TDB 2 (java with hash with code with value\$1) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
EPO; JPO; DERWENT; IBM_TDB	L4:37
DERWENT; IBM_TDB	
IBM_TDB	
, , , , , , , , , , , , , , , , , , ,	14:37
US-PGPUB;	- · - ·
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 1 (java with hash same (byte near2 code) USPAT; 2003/12/18 1	14:38
US-PGPUB; EPO; JPO;	
DERWENT;	
IBM_TDB	
- 3 (java same hash same (byte near2 USPAT; 2003/12/18)	14:38
code)) US-PGPUB;	
EPO; JPO;	
DERWENT; IBM TDB	
- 227 (709/1).CCLS. IBM_IDB USPAT; 2003/12/18	14:40
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	

-	0	((709/1).CCLS.) & hashcode	USPAT; US-PGPUB;	2003/12/18 14:41
			EPO; JPO;	
			DERWENT;	
_	2	((709/1).CCLS.) & hash near2 code	IBM_TDB USPAT;	2003/12/18 14:42
			US-PGPUB;	. ,
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	' ' -1	USPAT;	2003/12/18 15:51
		objec))	US-PGPUB; EPO; JPO;	
	1		DERWENT;	
_	9	(non-standard with cable).ab.	IBM_TDB USPAT;	2003/12/19 09:32
		(US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	125	(television same standard with cable).ab.	USPAT;	2003/12/18 16:14
			US-PGPUB; EPO; JPO;	
			DERWENT;	
_	99	(television with standard with cable).ab.	IBM_TDB USPAT;	2003/12/18 16:14
		(SSESTED WEST SSEMANIA WISH SUBJECTIONS)	US-PGPUB;	2003/12/10 10:11
			EPO; JPO; DERWENT;	
			IBM TDB	
-	26	(television with standard with cable same select\$3).ab.	USPAT;	2003/12/18 16:14
		Select\$3/.ab.	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	15	(non-standard same cable).ab.	IBM_TDB USPAT;	2003/12/18 16:19
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	12	(non-standard with cable) same select\$3	USPAT; US-PGPUB;	2003/12/18 16:24
			EPO; JPO;	
			DERWENT;	
	32	(non-standard & cable).ab.	IBM_TDB USPAT;	2003/12/18 16:32
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	13	((non near2 standard) with cable).ab.	USPAT; US-PGPUB;	2003/12/18 16:34
			EPO; JPO;	
			DERWENT; IBM TDB	
-	20	((non near2 standard) same cable).ab.	USPAT;	2003/12/19 09:44
			US-PGPUB;	
			EPO; JPO; DERWENT;	
	_	((non noon) should with make 140	IBM_TDB	2002/30/30 55 55
] -	1	((non near2 standard) with control\$3 & cable).ab.	USPAT; US-PGPUB;	2003/12/18 16:42
			EPO; JPO;	
			DERWENT; IBM TDB	
-	300	((non near2 standard) with control\$3	USPAT;	2003/12/18 16:42
).ab.	US-PGPUB; EPO; JPO;	
			DERWENT;	
L	<u> </u>		IBM_TDB	

Search History 12/19/03 10:48:43 AM Page 3

-	24	((non near2 standard) with control\$3 same	USPAT; 2003/12/18 17:01
	1	cable)	US-PGPUB;
			EPO; JPO;
			DERWENT;
		,	IBM TDB
-	0	((non near2 standard) same IDE).ab.	USPAT; 2003/12/18 17:02
			US-PGPUB;
			EPO; JPO;
			DERWENT;
			IBM TDB
-	0	((non near2 standard) & IDE).ab.	USPAT; 2003/12/18 17:02
		(1011 110411 554114414) 4 151 / 1451	US-PGPUB;
	1		EPO; JPO;
1			DERWENT;
1			IBM TDB
	3	((non near2 standard) with IDE)	
-	3	((non near2 standard) with IDE)	USPAT; 2003/12/18 17:04
			US-PGPUB;
			EPO; JPO;
1			DERWENT;
			IBM_TDB
-	12	((non near2 standard) same IDE)	USPAT; 2003/12/18 17:08
			US-PGPUB;
	1		EPO; JPO;
1			DERWENT;
			IBM_TDB
-	10	((non near2 standard) same ATA)	USPAT; 2003/12/18 17:10
			US-PGPUB;
1			EPO; JPO;
			DERWENT;
,			IBM TDB
_	25	(ATA with side).ab.	USPAT; 2003/12/18 17:10
			US-PGPUB;
			EPO; JPO;
			DERWENT;
			IBM TDB
_	3	(ATA with side with band).ab.	USPAT; 2003/12/18 17:11
	1	The state of the s	US-PGPUB;
			EPO; JPO;
			DERWENT;
			1 · · · · · · · · · · · · · · · · · · ·
_	4	(ATA with side with band)	IBM_TDB
1-	1 4	ATA WICH SIDE WITH DANG	
			US-PGPUB;
			EPO; JPO;
			DERWENT;
1	T	† 	IBM TDB

L Number	Hite	Search Text	DB	Time stamp
- Number	0	((hash near2 code) same (byte near2 code)	USPAT;	2003/12/19 11:31
		same jave).ab.	US-PGPUB;	2003/12/13 11:31
		same jave/.ab.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((hash near2 code) same (byte near2 code)	USPAT;	2003/12/19 10:59
		same java).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	227	(709/1).CCLS.	USPAT;	2003/12/19 11:00
		(100) = 1100000	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0000/20/20 22 22
-	1	((hash near2 code) same (byte near2 code)	USPAT;	2003/12/19 11:11
).ab.	US-PGPUB;	
			EPO; JPO;	
i			DERWENT;	
			IBM TDB	
1 -	1	((hash with code) same (byte near2 code)	USPAT;	2003/12/19 11:12
	1).ab.	US-PGPUB;	,
		, · -	EPO; JPO;	
]			DERWENT;	
	_	// heads (11) made) = (1) / (2)	IBM_TDB	0000/10/10 11 11
-	1	((hash with code) & (byte near2 code)	USPAT;	2003/12/19 11:10
).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	8	((hash near2 code) with (byte near2	USPAT;	2003/12/19 11:11
		code))	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
			1	
	i .	(IBM_TDB	0000/10/10 11 11
-	0	((hash near2 code) with (byte near2	USPAT;	2003/12/19 11:11
		code))& java	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((hash near2 code) same jave).ab.	USPAT;	2003/12/19 11:12
			US-PGPUB;	
			EPO; JPO;	
	ľ		DERWENT;	
			IBM TDB	
_	1	((hash near2 code) same java).ab.	USPAT;	2003/12/19 11:12
	*	(last fear code, same java, as.	US-PGPUB;	2003, 12, 13 11.12
			i .	
	1		EPO; JPO;	
			DERWENT;	
		1 ,, , , , , , , , , , , , , , , , , ,	IBM_TDB	((
-	1	((hash with code) same java).ab.	USPAT;	2003/12/19 11:13
	1		US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
1	I		IBM TDB	
1 -	0	(((hash with code) same java).ab.) &	USPAT;	2003/12/19 11:13
	i	(byte near2 code)	US-PGPUB;	,,
		(Syco noute code)	EPO; JPO;	
			1	
			DERWENT;	
	_		IBM_TDB	0000/10/10 15 55
-	0	(((hash with code) same java).ab.) & (USPAT;	2003/12/19 11:13
		virtual near2 machine)	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	15	((hash with code) same java same	USPAT;	2003/12/19 11:31
		(virtual near machine))	US-PGPUB;	
1		,	EPO; JPO;	
}			DERWENT;	
L	L	<u> </u>	IBM_TDB	L

-	0	((hash\$6 with code) same (byte near2	USPAT;	2003/12/19 11:32
		code) same jave).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	((hash\$6 with code) same (byte near2	USPAT;	2003/12/19 11:33
		code) same java).ab.	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	2	((hash\$6 with code) same (byte near2	USPAT;	2003/12/19 11:33
		code)).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1	(, , , , , , , , , , , , , , , , , , ,	IBM_TDB	2222 / 22 / 22 24 22
-	2	(hash\$6 same (byte near2 code)).ab.	USPAT;	2003/12/19 11:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	,	(/ haghee with gods) with / huto noard		2002/12/10 11.34
_	1	((hash\$6 with code) with (byte near2 code) same java)	USPAT; US-PGPUB;	2003/12/19 11:34
		Code, same Java,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
		1	I TOM IND	